Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	540	(719/310).ccls.	USPAT	OR	OFF	2007/06/06 09:12
L2	996	(719/310).ccls.	US-PGPUB; USPAT	OR	OFF	2007/06/06 10:16
L3		((command near2 (unit interpreter decoder translator decipherer)) switch router nic (network near interface near card)) same (command instruction) same address same memory same pointer same ((input near2 register) register (command near2 buffer) buffer stack queue (output near2 register)) same applications and network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 10:17
L4	52	((command near2 (unit interpreter decoder translator decipherer)) switch router nic (network near interface near card) driver) same (command instruction) same address same memory same pointer same ((input near2 register) register (command near2 buffer) buffer stack queue (output near2 register)) same applications and network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 10:21
L5	28	4 not 3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 08:24
L6	0	wo00/5285	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 08:08
L7	0	WO00/5285	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 08:08

L8	0	00/5285	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 08:08
L9	9 °	09/259936	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2007/06/06 08:08
L10	1	("7124198").PN.	USPAT; USOCR	OR	OFF	2007/06/06 08:26
L11	1	("6675200").PN.	USPAT; USOCR	OR	OFF	2007/06/06 08:26
L12	0	("200310 4 5230").PN.	USPAT; USOCR	OR	OFF	2007/06/06 08:25
L13	0	"20031045230"	USPAT .	OR	OFF	2007/06/06 08:25
L14	0	"20031045230"	US-PGPUB; USPAT	OR	OFF	2007/06/06 08:25
L15	0	"2003/1045230"	US-PGPUB; USPAT	OR	OFF	2007/06/06 08:25
L16	0	2003/1045230	US-PGPUB; USPAT	OR	OFF	2007/06/06 08:25
L17	0	"20031045230"	US-PGPUB; USPAT	OR	OFF	2007/06/06 08:25
L18	60	("4062059" "4161778" "4212057" "4229790" "4335426" "4363093" "4414620" "4425645" "4443850" "4445176" "4454383" "4489379" "4503496" "4506324" "4507779" "4509119" "4524445" "4571671" "4577273" "4623997" "4641262" "4680765" "4692894" "4709328" "4720782" "4757446" "4768150" "4796255" "5072371").PN. OR ("5247616"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/06/06 08:31
L19	1	("6707792").PN.	USPAT; USOCR	OR	OFF	2007/06/06 09:12

L20	456	2 not 1	US-PGPUB; USPAT	OR	OFF	2007/06/06 09:55
L21	72	(((command\$2 control\$2) near2 (unit interpreter decoder translator decipherer)) switch router nic (network near interface near card) driver) same (command instruction) same address same memory same pointer same ((input near2 register) register (command near2 buffer) buffer stack queue (output near2 register)) same applications and network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 10:26
L22	20	21 not 4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 10:22
L23	6628	(((command\$2 control\$2) near2 (unit interpreter decoder translator decipherer)) switch router nic (network near interface near card) driver) same (command instruction) same ((input near2 register) register (command near2 buffer) buffer stack queue (output near2 register)) same applications	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 10:27
L24	3236	(((command\$2 control\$2) near2 (unit interpreter decoder translator decipherer component)) same switch router nic (network near interface near card) driver) same (command instruction) same ((input near2 register) register (command near2 buffer) buffer stack queue (output near2 register)) same applications	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 10:28
L25	2976	(((command\$2) near2 (unit interpreter decoder translator decipherer component)) same switch router nic (network near interface near card) driver) same (command instruction) same ((input near2 register) register (command near2 buffer) buffer stack queue (output near2 register)) same applications	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 10:29

L26	134	(command\$2 near2 (unit interpreter decoder translator decipherer component)) same (subscriber switch router nic (network near interface near card) driver) same (command instruction) same ((input near2 register) register (command near2 buffer) buffer stack queue (output near2 register)) same applications	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 11:08
L27	28	(command\$2 near2 (unit interpreter decoder translator decipherer component)) same (subscriber switch router nic (network near interface near card) driver) same (command instruction) same ((input near2 register) register (command near2 buffer) buffer stack queue (output near2 register)) same applications same bus	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 10:35
L28	14	(command\$2 near2 (unit interpreter decoder translator decipherer component)) same (subscriber switch router nic (network near interface near card) driver) same (command instruction) same ((input near2 register) register (command near2 buffer) buffer stack queue (output near2 register)) same applications same bus same writ\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 10:31
L29	14	27 not 28	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 10:35
L30 ·	106	26 not 27	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 11:03

L31	1	multi none2 magter none2 graters	LIC DCDLID	OR	ON	2007/06/06 11:05
LSI	1	multi near2 master near2 system near2 command near2 (unit interface)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OK	ON	2007/06/06 11:05
L32	1	multi near2 master near2 system same (command near2 (unit interface))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 11:06
L33	188384	(subscriber switch router nic (network near interface near card) driver) same ((control\$3 command\$) near2 (unit interface))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 11:10
L34	1	(subscriber switch router nic (network near interface near card) driver) same ((control\$3 command\$) near2 (unit interface)) same (multi near2 master near2 system)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 11:15
L35	18119	(subscriber switch router nic (network near interface near card) driver) same ((control\$3 command\$) near2 (unit interface)) same applications	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 11:17
L36	42	(subscriber switch router nic (network near interface near card) driver) same ((control\$3 command\$) near2 (unit interface)) same applications same memory same address same pointer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 11:19
L37	39	36 not 26	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 11:32

L38	2	ip near2 switch near2 operating near2 system	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 11:34
L39	68	ip near2 switch same operating near2 system	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 11:36
L40	6	ip near2 switch same operating near2 system same ((control\$3 command\$) near2 (unit interface))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 11:37
L41	121	ip near2 switch same ((control\$3 command\$) near2 (unit interface))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 11:56
L42	6	ip near2 switch same ((control\$3 command\$) near2 (unit interface)) same memory same address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 11:55
L43	1	ip near2 switch same ((control\$3 command\$) near2 (unit interface)) same schedul\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 11:55

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	405	plurality same applications same (data near2 network)	USPAT	OR	OFF	2007/06/06 14:13
L2	10	plurality same applications same (data near2 network) same (data near2 bus)	USPAT	OR	OFF	2007/06/06 14:15
L3	1	(plurality near2 applications) same (data near2 network) same (data near2 bus)	USPAT	OR	OFF	2007/06/06 14:24
L4	10	("5027271" "5113522" "5408661" "5483647" "5517622").PN. OR ("5764894"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/06/06 14:17
L14	8	(plurality near2 applications) same network same bus same data	USPAT	OR	OFF	2007/06/06 14:24
L15	19	(plurality near2 applications) same network same bus same data	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/06 14:28
L16	2	(plurality near2 applications) same (data near2 network) same (data near2 bus)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/06 14:24
L17	2847	writ\$3 same pointer same address same memory same register	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/06 14:32
L18	1493	writ\$3 same pointer near4 address same memory same register	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/06 14:32

r		<u> </u>		1		
L19	248	writ\$3 same pointer near4 address same memory same register same input same output	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/06 14:33
L20	7	writ\$3 same pointer near4 address same memory same register same input same output same acknowledge	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/06 14:35
L21		writ\$3 same (pointer near4 address) same memory same (input near2 (buffer queue stack register)) same (output near2 (buffer queue stack register)) same acknowledg\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/06 14:38
L22	47	writ\$3 same (pointer near4 address) same memory same (buffer queue stack register) same read\$3 same acknowledg\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/06 14:39
L23	16	writ\$3 same (pointer near4 address) same memory same (buffer queue stack register) same read\$3 same acknowledg\$4 same command	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/06 14:40
L24	17	writ\$3 same (pointer near4 address) same memory same (buffer queue stack register) same read\$3 same acknowledg\$4 same command	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 14:40

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	405	plurality same applications same (data near2 network)	USPAT	OR	OFF	2007/06/06 14:13
L2	10	plurality same applications same (data near2 network) same (data near2 bus)	USPAT	OR	OFF	2007/06/06 14:15
L3	1	(plurality near2 applications) same (data near2 network) same (data near2 bus)	USPAT	OR	OFF	2007/06/06 14:24
L4	10	("5027271" "5113522" "5408661" "5483647" "5517622").PN. OR ("5764894"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/06/06 14:17
L14	8	(plurality near2 applications) same network same bus same data	USPAT	OR	OFF	2007/06/06 14:24
L15	19	(plurality near2 applications) same network same bus same data	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/06 14:28
L16	2	(plurality near2 applications) same (data near2 network) same (data near2 bus)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/06 14:24
L17	2847	writ\$3 same pointer same address same memory same register	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/06 14:32
L18	1493	writ\$3 same pointer near4 address same memory same register	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/06 14:32

				_		
L19	248	writ\$3 same pointer near4 address same memory same register same input same output	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/06 14:33
L20	7	writ\$3 same pointer near4 address same memory same register same input same output same acknowledge	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/06 14:35
L21	1	writ\$3 same (pointer near4 address) same memory same (input near2 (buffer queue stack register)) same (output near2 (buffer queue stack register)) same acknowledg\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF .	2007/06/06 14:38
L22	47	writ\$3 same (pointer near4 address) same memory same (buffer queue stack register) same read\$3 same acknowledg\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/06 14:39
L23	16	writ\$3 same (pointer near4 address) same memory same (buffer queue stack register) same read\$3 same acknowledg\$4 same command	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/06 14:40
L24		writ\$3 same (pointer near4 address) same memory same (buffer queue stack register) same read\$3 same acknowledg\$4 same command	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 14:40
L25	5708	(access\$ retriev\$) same command same network	USPAT	OR	OFF	2007/06/06 15:59
L26	22511	(access\$ retriev\$) same command same network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 15:59

			110 000115	00	011	2007/06/06 45 52
L27		(access\$ retriev\$) same command near unit same network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 15:59
L28	0	(access\$ retriev\$) same (command near unit) same network same arbitrat\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 16:00
L29	40	(access\$ retriev\$) same (command near unit) same network same memory	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 16:00
L30	2	(access\$ retriev\$) same (command near unit) same network same memory same pointer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 16:03
L31	38	29 not 30	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 16:05
L32	186	commands same transfer\$3 same (command near unit) same (indirectly indicator address)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 16:06
L33	1	commands same transfer\$3 same (command near unit) same indirectly near2 (indicator address)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 16:07

L34	2	commands same transfer\$3 same (command near unit) same indirectly with (indicator address)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 16:07
L35	179	commands same transfer\$3 same (command near unit) same (indicator address)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 16:07
L36	32	commands near2 transfer\$3 same (command near unit) same (indicator address)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 16:15
L37	10	commands near2 transfer\$3 near2 (command near unit) same (indicator address)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 16:08
L38	22	36 not 37	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 16:15